FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL: 1-800-654-6911 (OUTSIDE

USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®: 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)

FOR ALL SDS QUESTIONS & REQUESTS, CALL: 1-800-511-MSDS (OUTSIDE

USA: 1-423-780-2347)

PRODUCT NAME: E-Z Clor Algaecide

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Supplier REVISION DATE: 05/26/2015

SCP Distributors LLC SUPERCEDES: 08/11/2009 109 Northpark Boulevard ,

Covington, LA, 70433-5001
USA

MSDS Number: 000000024402
SYNONYMS:

CHEMICAL FAMILY: None

Telephone: +19858925521
Telefax: +19858921657
Web:

DESCRIPTION / USE FORMULA:
None established None established

Manufacturer Advantis Technologies 1200 Bluegrass Lakes Parkway

Alpharetta, GA 30004 United States of America

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Inhalation) : Category 3

Skin irritation : Category 2

Eye irritation : Category 2A

GHS Label element

E-Z Clor Algaecide

REVISION DATE: 05/26/2015 Page 1 of 10

Hazard pictograms :





Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

Precautionary statements : **Prevention**:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection/ face protection.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or

doctor/ physician.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P312 Call a POISON CENTER or doctor/ physician if you feel

unwell.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P362 Take off contaminated clothing and wash before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS OR CHEMICAL NAME
POLY [OXYETHYLENE
(DIMETHYLIMINIO) ETHYLENE

CAS # 31512-74-0 % RANGE 25 - 33

No hazardous ingredients

E-Z Clor Algaecide

REVISION DATE: 05/26/2015 Page 2 of 10

SECTION 4. FIRST AID MEASURES

General Advice: Call a poison control center or doctor for treatment advice. For 24-hour

emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a

poison control center or doctor, or going for treatment.

Inhalation: IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control center or doctor for further treatment advice.

Skin Contact: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin

immediately with plenty of water for 15-20 minutes. Call a poison control center or

doctor for treatment advice.

Eye Contact: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then

continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment

advice. Have person sip a glass of water if able to swallow. Do not induce

vomiting unless told to do so by a poison control center or doctor. Do not give

anything by mouth to an unconscious person.

SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Combustible above 93 deg. C / 200 deg. F.

Flammable Properties

Ingestion:

Flash Point: > 100 °C

Fire / Explosion Hazards: May be ignited by open flame.

Extinguishing Media: Water fog Carbon dioxide (CO2) Foam Dry powder

Fire Fighting Instructions: Use water spray to cool unopened containers. In case of fire, use

normal fire-fighting equipment and the personal protective

equipment recommended in Section 8 to include a NIOSH approved

self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency

Situations:

Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

Spill Mitigation Procedures

Air Release: Keep people away from and upwind of spill/leak.

Water Release: solubleIf the product contaminates rivers and lakes or drains inform

respective authorities.

E-Z Clor Algaecide

REVISION DATE: 05/26/2015 Page 3 of 10

Land Release: Contain spillage, soak up with non-combustible absorbent material,

(e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).Do not contaminate ponds, waterways or ditches with

chemical or used container.

Additional Spill Information : Prevent further leakage or spillage if safe to do so. Use personal

protective equipment as required. Evacuate personnel to safe areas.

Remove all sources of ignition.

SECTION 7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. If

in eyes or on skin, rinse well with water. Avoid breathing vapours,

mist or gas.

Storage: Store in a cool, dry and well ventilated place. Isolate from

incompatible materials. Do not freeze.

Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: No exposure limits exist for the constituents of this product. Additional

ventilation beyond that of general exhaust is not normally required.

Protective Equipment for Routine Use of Product

Respiratory Protection: Respiratory protection not normally needed., If vapors, mists or aerosols are

generated, wear a NIOSH approved respirator., Wear a NIOSH approved

N95 respirator.

Skin Protection: Impervious gloves

Eye Protection: Safety glasses with side-shields

Protective Clothing Type: impervious clothing

General Protective

Emergency eyewash should be provided in the immediate work area.

Measures:

No hazardous ingredients

Components with workplace control parameters

no data available

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: liquid
Form No data.
Color: No data.
Odor: No data.

Molecular Weight: None established

E-Z Clor Algaecide

REVISION DATE: 05/26/2015 Page 4 of 10

pH: 6.0 - 8.0

()

Boiling Point: 212 °F (100 °C)

Melting point/freezing No data

point

Bulk Density: ()

no data available

Vapor Pressure: 19.20 hPa

(@ 25 Deg. C)

Vapor Density: no data available Viscosity: no data available

Solubility in Water: soluble
Partition coefficient n- No data.

octanol/water:

Evaporation Rate: no data available Oxidizing: None established Volatiles, % by vol.: no data available

VOC Content no data available This product does not contain any chemicals

listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

HAP Content Not applicable

SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Stable under normal conditions.

Conditions to Avoid: Heat, flames and sparks.

Chemical Incompatibility: Oxidizing agents, Anionic polymers

Hazardous Decomposition Products: Carbon oxides Decomposition Temperature: No data

SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

POLY [OXYETHYLENE LD50 (60% Active Ingredient) = 1,951 mg/kg Rat male

(DIMETHYLIMINIO)

ETHYLENE

LD50 (60% Active Ingredient) = 2,587 mg/kg Rat female

Component Animal Toxicology

Dermal LD50 value:

POLY [OXYETHYLENE LD50 (60% Active Ingredient) > 2,000 mg/kg Rabbit

(DIMETHYLIMINIO)

ETHYLENE

E-Z Clor Algaecide

REVISION DATE: 05/26/2015 Page 5 of 10

Component Animal Toxicology

Inhalation LC50 value:

POLY [OXYETHYLENE LC50 4 h (60% Active Ingredient) = 2.9 ppm Rat

(DIMETHYLIMINIO)

ETHYLENE

Product Animal Toxicity

Oral LD50 value: LD50 Believed to be 2,400 - 3,200 mg/kg Rat

Dermal LD50 value: LD50 > 2,000 mg/kg Rabbit Inhalation LC50 LC50 4 h ca. 3 ppm Rat

value:

Skin Irritation: Not expected to cause irritation. Eve Irritation: May cause mild eye irritation.

Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer., A

similar product was found to be a negative skin sensitizer in the Guinea pig

Buehler method test.

Acute Toxicity: May cause mild eye irritation. Ingestion may cause mild gastrointestinal

discomfort.

Subchronic / Chronic

Not known or reported to cause subchronic or chronic toxicity.

Toxicity:

Reproductive and This chemical has been tested in laboratory animals and no evidence of

Developmental Toxicity: teratogenicity or fetotoxicity was seen.

Not known or reported to be mutagenic. A similar product was tested in a Mutagenicity:

mutagenicity assay and was found to be non-mutagenic under the

conditions of the test.

This product is not known or reported to be carcinogenic by any reference Carcinogenicity:

source including IARC, OSHA, NTP or EPA.

POLY [OXYETHYLENE

(DIMETHYLIMINIO) ETHYLENE

A two-year rat carcinogenicity study showed a slight increase in c-cell adenomas in female rats. Studies with male rats and male and female mice did not show any evidence of carcinogenic response. This product is not

considered a carcinogen

SECTION 12. ECOLOGICAL INFORMATION

Overview: Very toxic to aquatic life.

Ecological Toxicity Values for: POLY [OXYETHYLENE (DIMETHYLIMINIO) ETHYLENE

Rainbow trout (Salmo gairdneri), -96 h LC50 = 0.047 mg/lBluegill sunfish 96 h LC50 = 0.21 mg/lPimephales promelas (fathead 96 h LC50 = 0.26 mg/l

minnow)

Mysid shrimp -96 h LC50= 13 mg/l

Daphnia magna, 48 h LC50= 0.37 mg/l

E-Z Clor Algaecide

REVISION DATE: 05/26/2015 Page 6 of 10

SECTION 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it DOES NOT meet the criteria of a

hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.As a nonhazardous liquid waste, it should be disposed of in accordance with local, state

and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT

UN number : 3082

Description of the goods : Environmentally hazardous substance, liquid, n.o.s.

: (Poly[oxyethylene (dimethyliminio) ethylene])

Class : 9
Packing group : III
Labels : 9
Emergency Response : 171

Guidebook Number

TDG

UN number : 3082

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Poly[oxyethylene (dimethyliminio) ethylene])

Class : 9
Packing group : III
Labels : 9

IATA

UN number : 3082

Description of the goods : Environmentally hazardous substance, liquid, n.o.s.

(Poly[oxyethylene (dimethyliminio) ethylene])

Class : 9 Packing group : III

E-Z Clor Algaecide

REVISION DATE: 05/26/2015 Page 7 of 10

Labels : 9MI Packing instruction (cargo : 964

aircraft)

Packing instruction : 964

(passenger aircraft)

Packing instruction : Y964

(passenger aircraft)

IMDG-CODE

UN number : 3082

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Poly[oxyethylene (dimethyliminio) ethylene])

Class : 9
Packing group : III
Labels : 9
EmS Number 1 : F-A
EmS Number 2 : S-F

Marine pollutant : yes

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word : CAUTION!

Hazard statements : Harmful if swallowed.

This pesticide is toxic to fish.

This pesticide is toxic to aquatic invertebrates.

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

E-Z Clor Algaecide

REVISION DATE: 05/26/2015 Page 8 of 10

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to

Know Act.

Pennsylvania Right To Know

Poly[oxyethylene 31512-74-0

(dimethyliminio) ethylene]

New Jersey Right To Know

Poly[oxyethylene 31512-74-0

(dimethyliminio) ethylene]

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other

reproductive harm.

The components of this product are reported in the following inventories:

TSCA : This is an EPA registered pesticide.

: Poly[oxyethylene (dimethyliminio) ethylene]

Inventories

E-Z Clor Algaecide

REVISION DATE: 05/26/2015 Page 9 of 10



AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

SECTIONS REVISED: First formulated version in SAP.

Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.

E-Z Clor Algaecide

REVISION DATE: 05/26/2015 Page 10 of 10