FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL: 1-800-654-6911 (OUTSIDE

USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®: 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)

FOR ALL SDS QUESTIONS & REQUESTS, CALL: 1-800-511-MSDS (OUTSIDE

USA: 1-423-780-2347)

PRODUCT NAME: E-Z Clor AlgaeFlGH Plus

# **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

SupplierREVISION DATE:05/26/2015SCP Distributors LLCSUPERCEDES:12/21/2010

109 Northpark Boulevard ,
Covington, LA, 70433-5001

MSDS Number: 000000024512 SYNONYMS:

Telephone: +19858925521 CHEMICAL FAMILY: None

Telefax: +19858921657

Web:

DESCRIPTION / USE None established None established

Manufacturer
Advantis Technologies
1200 Bluegrass Lakes Parkway
Alpharetta, GA 30004
United States of America

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Eye irritation : Category 2B

**GHS Label element** 

Hazard pictograms :

E-Z Clor Algaecide Plus

REVISION DATE: 05/26/2015 Page 1 of 10

Signal word Warning

Hazard statements H302 + H332 Harmful if swallowed or if inhaled

H320 Causes eye irritation.

Prevention: Precautionary statements

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER

or doctor/ physician if you feel unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or

doctor/ physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsina.

P312 Call a POISON CENTER or doctor/ physician if you feel

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

Storage:

P402 + P404 Store in a dry place. Store in a closed container. P410 + P403 Protect from sunlight. Store in a well-ventilated

place.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

**CAS OR CHEMICAL NAME** POLY [OXYETHYLENE (DIMETHYLIMINIO) ETHYLENE CAS# 31512-74-0 % RANGE 55 - 65

E-Z Clor Algaecide Plus

REVISION DATE: 05/26/2015 Page 2 of 10

#### **SECTION 4. FIRST AID MEASURES**

General Advice: Call a poison control center or doctor for treatment advice. For 24-hour

emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a

poison control center or doctor, or going for treatment.

Inhalation: IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control center or doctor for further treatment advice.

Skin Contact: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin

immediately with plenty of water for 15-20 minutes. Call a poison control center or

doctor for treatment advice.

Eye Contact: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion: IF SWALLOWED: Call a poison control center or doctor immediately for treatment

advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give

anything by mouth to an unconscious person.

#### SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Combustible above 93 deg. C / 200 deg. F.

Flammable Properties

Flash Point: 100 °C

Fire / Explosion Hazards: May be ignited by open flame.

Extinguishing Media: Water fog Carbon dioxide (CO2) Foam Dry powder

Fire Fighting Instructions: Use water spray to cool unopened containers. In case of fire, use

normal fire-fighting equipment and the personal protective

equipment recommended in Section 8 to include a NIOSH approved

self-contained breathing apparatus.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Protection for Emergency

Situations:

Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

Spill Mitigation Procedures

Air Release: Not applicable

Water Release: solubleIf the product contaminates rivers and lakes or drains inform

respective authorities.

E-Z Clor Algaecide Plus

REVISION DATE: 05/26/2015 Page 3 of 10

Land Release: Contain spillage, soak up with non-combustible absorbent material,

> (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).Do not contaminate ponds, waterways or ditches with

chemical or used container.

Prevent further leakage or spillage if safe to do so. Use personal Additional Spill Information:

protective equipment as required. Evacuate personnel to safe areas.

Remove all sources of ignition.

# **SECTION 7. HANDLING AND STORAGE**

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. If

in eyes or on skin, rinse well with water. Avoid breathing vapours,

mist or gas.

Storage: Store in a cool, dry and well ventilated place. Isolate from

incompatible materials. Do not freeze.

Refer to Section 10, "Incompatible Materials." Incompatible Materials for Storage:

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: No exposure limits exist for the constituents of this product. Additional

ventilation beyond that of general exhaust is not normally required.

Protective Equipment for Routine Use of Product

Respiratory Protection: Respiratory protection not normally needed., If vapors, mists or aerosols are

generated, wear a NIOSH approved respirator., Wear a NIOSH approved

N95 respirator.

Skin Protection: Impervious gloves

Safety glasses with side-shields Eye Protection:

Protective Clothing Type: impervious clothing

General Protective Emergency eyewash should be provided in the immediate work area.

Measures:

### Components with workplace control parameters

no data available

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: liquid Form No data. Color: No data. Odor: No data.

Molecular Weight: None established

6.0 - 8.0pH:

()

E-Z Clor Algaecide Plus

REVISION DATE: 05/26/2015 Page 4 of 10

**Boiling Point:** >212 °F (100 °C)

< 32 °F (0 °C) Melting point/freezing

point

Density no data available

Bulk Density: ()

no data available

Vapor Pressure: no data available Vapor Density: no data available Viscosity: 125 mPa.s

20 °C

No data

Solubility in Water: completely soluble

Partition coefficient n-

octanol/water:

no data available

**Evaporation Rate:** Oxidizing: None established Volatiles, % by vol.: no data available

**VOC Content** This product does not contain any chemicals listed under the U.S.

> Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions

listed under the U.S. Clean Air Act Section 450.

**HAP Content** No data

## SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Stable under normal conditions.

Conditions to Avoid: Heat, flames and sparks.

Chemical Incompatibility: Anionic polymers Hazardous Decomposition Products: Carbon monoxide

Decomposition Temperature: No data

#### SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

POLY [OXYETHYLENE LD50 (60% Active Ingredient) = 1,951 mg/kg Rat male

(DIMETHYLIMINIO)

**ETHYLENE** 

LD50 (60% Active Ingredient) = 2,587 mg/kg Rat female

Component Animal Toxicology

Dermal LD50 value:

POLY [OXYETHYLENE LD50 (60% Active Ingredient) > 2,000 mg/kg

(DIMETHYLIMINIO)

**ETHYLENE** 

E-Z Clor Algaecide Plus

REVISION DATE: 05/26/2015 Page 5 of 10

Component Animal Toxicology

Inhalation LC50 value:

POLY [OXYETHYLENE LC50 4 h (60% Active Ingredient) = 2.9 ppm Rat

(DIMETHYLIMINIO)

**ETHYLENE** 

**Product Animal Toxicity** 

Oral LD50 value: LD50 = 1,951 mg/kg Rat maleLD50 = 2,587 mg/kg Rat female

Dermal LD50 value: LD50 > 2,000 mg/kg Rabbit

Inhalation LC50 LC50 4 h Approximately 3 ppm Rat

value:

Skin Irritation: Contact would be expected to cause transient redness if not washed off and left on

the skin for an extended period of time., Not considered to be a primary skin

irritant.

Eye Irritation: May cause mild eye irritation.

Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer., A

similar product was found to be a negative skin sensitizer in the Guinea pig

Buehler method test.

Acute Toxicity: May cause mild eye irritation. Ingestion may cause mild gastrointestinal

discomfort.

Subchronic / Chronic

Toxicity:

Not known or reported to cause subchronic or chronic toxicity.

Reproductive and This chemical has been tested in laboratory animals and no evidence of

Developmental Toxicity: teratogenicity or fetotoxicity was seen.

Mutagenicity: Not known or reported to be mutagenic. A similar product was tested in a

mutagenicity assay and was found to be non-mutagenic under the

conditions of the test.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference

source including IARC, OSHA, NTP or EPA.

POLY [OXYETHYLENE (DIMETHYLIMINIO) ETHYLENE

A two-year rat carcinogenicity study showed a slight increase in c-cell adenomas in female rats. Studies with

male rats and male and female mice did not show any evidence of carcinogenic response. This product is not

considered a carcinogen

# **SECTION 12. ECOLOGICAL INFORMATION**

Overview: Very toxic to aquatic life.

Ecological Toxicity Values for: POLY [OXYETHYLENE (DIMETHYLIMINIO) ETHYLENE

Rainbow trout (Salmo gairdneri), - 96 h LC50 = 0.047 mg/l
Bluegill sunfish - 96 h LC50 = 0.21 mg/l
Pimephales promelas (fathead - 96 h LC50 = 0.26 mg/l

minnow)

E-Z Clor Algaecide Plus

REVISION DATE: 05/26/2015 Page 6 of 10

Mysid shrimp - 96 h LC50= 13 mg/l

Daphnia magna, - 48 h LC50= 0.37 mg/l

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it DOES NOT meet the criteria of a

hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.As a nonhazardous liquid waste, it should be disposed of in accordance with local, state

and federal regulations.

## **SECTION 14. TRANSPORT INFORMATION**

DOT

UN number : 3082

Description of the goods : Environmentally hazardous substance, liquid, n.o.s.

: (Poly[oxyethylene (dimethyliminio) ethylene])

Class : 9
Packing group : III
Labels : 9
Emergency Response : 171

Guidebook Number

TDG

UN number : 3082

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Poly[oxyethylene (dimethyliminio) ethylene])

Class : 9
Packing group : III
Labels : 9

**IATA** 

UN number : 308

Description of the goods : Environmentally hazardous substance, liquid, n.o.s.

(Poly[oxyethylene (dimethyliminio) ethylene])

E-Z Clor Algaecide Plus

REVISION DATE: 05/26/2015 Page 7 of 10

Class : 9
Packing group : III
Labels : 9MI
Packing instruction (cargo : 964

aircraft)

Packing instruction : 964

(passenger aircraft)

Packing instruction : Y964

(passenger aircraft)

**IMDG-CODE** 

UN number : 3082

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Poly[oxyethylene (dimethyliminio) ethylene])

Class : 9
Packing group : III
Labels : 9
EmS Number 1 : F-A
EmS Number 2 : S-F

Marine pollutant : yes

#### **SECTION 15. REGULATORY INFORMATION**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word : CAUTION!

Hazard statements : Harmful if swallowed.

This pesticide is toxic to fish.

#### **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

E-Z Clor Algaecide Plus

REVISION DATE: 05/26/2015 Page 8 of 10

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

Massachusetts Right To Know

No components are subject to the Massachusetts Right to

Know Act.

Pennsylvania Right To Know

Poly[oxyethylene 31512-74-0

(dimethyliminio) ethylene]

**New Jersey Right To Know** 

Poly[oxyethylene 31512-74-0

(dimethyliminio) ethylene]

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other

reproductive harm.

#### The components of this product are reported in the following inventories:

**TSCA** : This is an EPA registered pesticide.

: Poly[oxyethylene (dimethyliminio) ethylene]

Inventories

E-Z Clor Algaecide Plus

REVISION DATE: 05/26/2015

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

## **SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: 15

Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.

E-Z Clor Algaecide Plus

REVISION DATE: 05/26/2015 Page 10 of 10