FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL: 1-800-654-6911 (OUTSIDE

USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®: 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)

FOR ALL SDS QUESTIONS & REQUESTS, CALL: 1-800-511-MSDS (OUTSIDE

USA: 1-423-780-2347)

000000024461

PRODUCT NAME: E-Z Clor Metal Magnet

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Manufactured for:REVISION DATE:05/27/2015Alliance Trading, Inc.SUPERCEDES:07/16/2009

109 Northpark Boulevard ,
Covington, LA, 70433-5001
MSDS Number:

SYNONYMS: None CHEMICAL FAMILY: None

Telephone: +19858925521
Telefax: +19858921657
DESCRIPTION / USE None established None established

Web:

Manufacturer
Advantis Technologies
1200 Bluegrass Lakes Parkway

Alpharetta, GA 30004 United States of America

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to metals : Category 1

Skin irritation : Category 2

Serious eye damage : Category 1

Specific target organ toxicity -

single exposure

Category 3 (Respiratory system)

GHS Label element

E-Z Clor Metal Magnet

REVISION DATE: 05/27/2015 Page 1 of 10

Hazard pictograms





Signal word Danger

Hazard statements H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Prevention: Precautionary statements

P234 Keep only in original container.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection/ face protection.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse.

P390 Absorb spillage to prevent material damage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

P406 Store in corrosive resistant stainless steel container with a

resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS OR CHEMICAL NAME CAS# % RANGE ETIDRONIC ACID 6 - 16 2809-21-4

E-Z Clor Metal Magnet

REVISION DATE: 05/27/2015

Page 2 of 10

SECTION 4. FIRST AID MEASURES

Inhalation: IF INHALED: Remove individual to fresh air. Seek medical attention if breathing

becomes difficult or if respiratory irritation develops.

Skin Contact: IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing

comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.

Eye Contact: IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes.

Seek medical attention immediately.

Ingestion: IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless

directed to do so by a physician. Never give anything by mouth to an unconscious

person.

SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or

explosive.

Flammable Properties

Fire / Explosion Hazards: This material is not expected to burn unless all the water is boiled

away. The remaining compounds may be ignitable.

Extinguishing Media: Not Applicable. - Choose extinguishing media suitable for

surrounding materials.

Fire Fighting Instructions: In case of fire, use normal fire-fighting equipment and the personal

protective equipment recommended in Section 8 to include a NIOSH

approved self-contained breathing apparatus.

Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by

thermal decomposition or combustion.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency

Situations:

Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

Spill Mitigation Procedures

Air Release:

Vapors may be suppressed by the use of water fog. Keep people

away from and upwind of spill/leak.

Water Release: This materia

This material is soluble in water. If the product contaminates rivers

and lakes or drains inform respective authorities.

E-Z Clor Metal Magnet

REVISION DATE: 05/27/2015 Page 3 of 10

Land Release: Contain spillage, soak up with non-combustible absorbent material,

(e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). After removal, flush contaminated area thoroughly with water. Do not contaminate ponds, waterways or ditches with

chemical or used container.

Additional Spill Information : Stop source of spill as soon as possible and notify appropriate

personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all nonessential personnel. Dispose of spill residues per guidelines under

Section 13, Disposal Consideration.

SECTION 7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing.

Upon contact with skin or eyes, wash off with water. Avoid breathing

mist or vapor.

Storage: Store in a cool, dry and well ventilated place. Keep containers tightly

closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation is recommended if vapors, mists, aerosols or dusts

are generated. Otherwise, use general exhaust ventilation.

Protective Equipment for Routine Use of Product

Respiratory Protection: Respiratory protection not normally needed., If vapors, mists or aerosols are

generated, wear a NIOSH approved respirator., A NIOSH approved full-face or half-face respirator in combination with chemical goggles., A NIOSH approved air purifying respirator with P100 filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure

concentrations exceed ten (10) times the published limit.

Skin Protection: Wear impervious gloves to avoid skin contact.

Eye Protection: Use chemical goggles and a faceshield.

Protective Clothing Type: Impervious

General Protective An eye wash and safety shower should be provided in the immediate work

Measures: area.

Components with workplace control parameters

no data available

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: liquid
Form No data.
Color: No data.

E-Z Clor Metal Magnet

REVISION DATE: 05/27/2015 Page 4 of 10

Odor: No data.

Molecular Weight: None established

pH: < 0.0 - 2.0

()

No data

Boiling Point: 212 °F (100 °C)

Melting point/freezing

point

()

Bulk Density: ()

no data available no data available no data available no data available soluble in cold water

Solubility in Water: Partition coefficient n-

octanol/water:

Vapor Pressure:

Vapor Density:

Viscosity:

No data.

Evaporation Rate: no data available Oxidizing: None established Volatiles, % by vol.: no data available

VOC Content This product does not contain any chemicals listed under the

U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's

(40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

HAP Content Not applicable

SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Stable under normal conditions.

Conditions to Avoid: High temperatures

Chemical Incompatibility: Strong oxidizing agents, Bases, Amines, metal salts

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Phosphines may form after all

water has been removed., Oxides of nitrogen

Decomposition Temperature: No data

SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

ETIDRONIC ACID LD50 = 1,440 mg/kg Rat

Component Animal Toxicology

Dermal LD50 value:

ETIDRONIC ACID LD50 > 4,764 mg/kg Rabbit

Component Animal Toxicology

Inhalation LC50 value:

ETIDRONIC ACID No data

E-Z Clor Metal Magnet

REVISION DATE: 05/27/2015 Page 5 of 10

Product Animal Toxicity

Oral LD50 value: LD50 Believed to be > 5,000 mg/kg Rat LD50 Believed to be > 5,000 mg/kg Dermal LD50 value: Rabbit no data available

Inhalation LC50

value:

Skin Irritation: This material is expected to be moderately irritating.

Eve Irritation: Corrosive to eyes.

Skin Sensitization: Negative skin sensitizer, guinea pig - Magnusson-Kligman method.

Acute Toxicity: This product is corrosive to the eyes, moderately irritating to the skin and upon

inhalation, may cause irritation to mucous membranes and respiratory tract.

Subchronic / Chronic

Toxicity:

High oral exposure of a similar chemical to laboratory rodents has been shown to alter red and white cell count, decrease hemoglobin concentration and decrease the hematocrit value. This effect to blood occurred when they were fed a diet containing 3% HEDP-A. No effect was observed at a dietary concentration of 1%., The hematological effects observed in laboratory studies using rodents would be

unlikely to occur in humans because of the high dose required.

Reproductive and **Developmental Toxicity:** This product has been tested and was shown not to produce any adverse effects on reproductive function or fetal development when administered to

laboratory animals.

ETIDRONIC ACID This product has been tested and was shown not to

produce any adverse effects on reproductive function or fetal development when administered to laboratory

animals.

Mutagenicity: This chemical has been tested and was shown to be non-mutagenic.

ETIDRONIC ACID This chemical has been tested and was shown to be

non-mutagenic.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference

source including IARC, OSHA, NTP or EPA. Chemicals of similar structure

have been shown not to cause cancer in laboratory animals.

ETIDRONIC ACID This product is not known or reported to be carcinogenic

> by any reference source including IARC, OSHA, NTP or EPA. Chemicals of similar structure have been shown

not to cause cancer in laboratory animals.

SECTION 12. ECOLOGICAL INFORMATION

Overview: Practically non- toxic to fish and other aquatic organisms., Practically non-toxic

to wildlife and domestic animals.

Ecological Toxicity Values for: ETIDRONIC ACID

Bluegill -96 h LC50 = 868 mg/l

Rainbow trout (Salmo gairdneri), 96 h LC50 = 368 mg/l

E-Z Clor Metal Magnet

REVISION DATE: 05/27/2015 Page 6 of 10

Channel Catfish (Ictalurus - 96 h LC50 = 695 mg/l

punctatus rafinesque),

Sheepshead minnow - 96 h LC50 = 2,180 mg/l

Daphnia magna, - 48 h EC50= 527 mg/l - 96 h LC50= 1,770 mg/l

Grass shrimp - 96 h LC50= 1,770 mg/l Oyster Shell Deposition - 96 h EC50= 89 mg/l

Mallard duck - Oral LD50 > 2,510 mg/kg

Bobwhite quail - Oral LD50 > 2,510 mg/kg

SECTION 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it will be a hazardous waste which

is subject to the Land Disposal restrictions under 40 CFR 268 and

must be managed accordingly.

Disposal Methods: As a hazardous liquid waste it must be disposed of in accordance

with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT

Not dangerous goods

TDG

UN number : 3265

Description of the goods : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(Etidronic acid)

Class : 8
Packing group : III
Labels : 8

IATA

UN number : 3265

Description of the goods : Corrosive liquid, acidic, organic, n.o.s.

(Etidronic acid)

Class : 8 Packing group : III

E-Z Clor Metal Magnet

REVISION DATE: 05/27/2015 Page 7 of 10

: 8 Labels Packing instruction (cargo : 856

aircraft)

Packing instruction : 852

(passenger aircraft)

Packing instruction : Y841

(passenger aircraft)

IMDG-CODE

UN number : 3265

Description of the goods : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(Etidronic acid)

Class : 8 Packing group : 111 Labels : 8 EmS Number 1 : F-A EmS Number 2 : S-B

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

E-Z Clor Metal Magnet

REVISION DATE: 05/27/2015

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to

Know Act.

Pennsylvania Right To Know

Etidronic acid 2809-21-4

New Jersey Right To Know

Etidronic acid 2809-21-4

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other

reproductive harm.

The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA

Inventory of Existing Chemical Substances.

: dye Sanoline Blue E-HRL

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL

(Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

SECTIONS REVISED: First formulated version in SAP.

Major References : Available upon request.

E-Z Clor Metal Magnet

REVISION DATE: 05/27/2015 Page 9 of 10

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.

E-Z Clor Metal Magnet

REVISION DATE: 05/27/2015 Page 10 of 10